CEE-BEE CLEANER R-677

by Cee-Bee®



data sheet

CEE-BEE CLEANER R-677 is a solvent base cleaner for removing soils, grease, jet exhaust carbon, and hydraulic fluids from painted and unpainted aircraft surfaces.

BENEFITS

- Excellent solvency for grease and soil.
- Effectively removes jet exhaust, carbon, and hydraulic fluids.
- Free rinsing. Does not streak painted surfaces when used as directed.
- Safe on high strength steel, cad plated steel, mild steel, aluminum, magnesium, titanium, acrylic plastics and most paints.
- Contains no phosphates, phenolics or heavy metal salts.
- Surfactants biodegradable.

CONFORMS TO

- BAC 5744
- MIL-C-43616C, CLASS 1 (QPL)

NOTE: To place an order, call or FAX Customer Service at 800-932-7006 / FAX 1-216-441-1377
Cee-Bee Cleaner R-677 Product Code # 20020





NOTES PRIOR TO HANDLING

Before using your McGean-Rohco, Inc. products, all safety and operating instructions should be read and understood. If you have any questions, please contact your McGean-Rohco representative before proceeding.

USE PROCEDURES

- 1. Mix at 5% to 50% by volume with water (a 10% solution is usually adequate).
- 2. Apply with non-atomizing spray equipment, mop or brush. After a short dwell time, agitate with mop or brush.
- 3. Water rinse or wipe dry using clean cloths or mops. If surface is allowed to dry, re-wet with cleaner solution, agitate lightly and immediately rinse with water or wipe dry with clean cloths or mops.
- 4. Cee-Bee R-677 can be diluted with petroleum solvent for heavy-duty cleaning.

PROPERTIES

• Clear to slightly hazy liquid with petroleum solvent odor. Flash point above 142°F (60°C). pH approximately 9.6.

PRECAUTIONS

- **WARNING!** Avoid eye and skin contact. Wear rubber gloves and face shield or safety glasses. Contains petroleum solvent. Do not use in confined areas or at temperatures above 120°F. Use with adequate ventilation.
- Do not take internally. For contact, flood with water. If eye irritation persists, seek medical attention. Avoid splashing nearby personnel if spray rinse is used.

Copyright 1981 McGean-Rohco, Inc. Revd. 11/13