

CEE-BEE STRIPPER A-234

by Cee-Bee®



d a t a s h e e t

CEE-BEE STRIPPER A-234 is a high performing stripper for removing urethanes, epoxies, primers and enamels

BENEFITS

- Effective and economical.
- Thixotropic - clings to vertical, inclined and overhead surfaces.
- Low odor - suitable for indoor use.
- Safe on most aircraft structural metals, including high strength steel, mild steel, cadmium, aluminum, magnesium and copper alloys.
- Surfactants biodegradable.

CONFORMS TO

- **AMS 1375A**
- **DOUGLAS CSD-1**
- **BOEING D6-17487**

**NOTE: To place an order, call or FAX Customer Service at
800-327-0466 / FAX 1-216-441-1377
Cee-Bee Stripper A-234 Product Code # 23058**



NOTES PRIOR TO HANDLING

Before using your McGean-Rohco, Inc. products, all safety and operating instructions should be read and understood. If you have any questions, please contact your McGean-Rohco representative before proceeding.

USE PROCEDURES

1. For optimum stripping the surface should be dry and <80° F (26°C).
2. Apply a thin, uniform film of stripper with non-atomizing spray, brush or roller.
3. Allow to dwell until coating is penetrated and loosened.
4. Agitate surface with a stiff bristle brush.
5. Reapply stripper to areas where removal is incomplete.
6. After stripping action is complete, squeegee or scrape loosened coating and spent stripper from the surface for disposal.
7. Rinse surface with high pressure water.

PROPERTIES

- Viscous, opaque, yellow liquid. Solvent odor. No flash point.

PRECAUTIONS

- **WARNING** - Contains chlorinated solvents and phenol. Rapidly absorbed
- through the skin. Prolonged exposure could be fatal. Avoid eye and skin contact.
- Contact may not be immediately apparent, therefore, wear protective clothing such as face shield or goggles, gloves, aprons, boots, etc.
- Provide adequate ventilation. Do not take internally.

PRECAUTIONS (continued)

- For accidental contact, immediately flood area with water for at least 30 minutes.
Seek prompt medical attention
- Open containers slowly to avoid spewing of contents