

# HONEY BEE™ 24 DEODORANT by Cee-Bee®



## d a t a s h e e t

**HONEY BEE 24** is a concentrated, liquid deodorant for use in aircraft toilets systems.

### BENEFITS

- Effectively controls odors for long periods of time.
- Controls the deposit of sludge in waste holding tanks and on recirculating pump screens.
- Pleasant scent and good color stability.
- Excellent water solubility.
- Safe for use in aircraft lavatory systems, ground servicing equipment and on materials of aircraft construction.
- Contains no phenol, formaldehyde or heavy metals.

### CONFORMS TO:

- **AMS 1476B**
- **BOEING D6-17487, REVISION "L"**
- **DOUGLAS CSD- 3**

**NOTE: To place an order, call or FAX Customer Service at  
800-327-0466 / FAX 216-441-1377  
Honey Bee 24 Product Code # 25128**



## NOTES PRIOR TO HANDLING

**Before using any McGean product, all safety and operating instructions should be read and understood. If you have any questions, please contact your McGean representative before proceeding.**

## USE PROCEDURES

### Aircraft Lavatory System Cleaning

Aircraft toilets that are heavily contaminated with gummy deposits should first be cleaned with Honey Bee 76 Cleaner (Product Code # 25176) to restore optimum performance of toilet system. Please refer to Honey Bee 76 data sheet for complete use procedures.

### Aircraft Lavatory Servicing

- Drain and flush aircraft lavatory holding tanks with water or lavatory deodorant.
- Charge toilet holding tank with a solution of 0.5 to 1.0 ounce per gallon (4 to 8 ml per liter) of Honey Bee 24 in water.

## PROPERTIES

- Pleasantly scented, thin blue liquid.
- No flash point.

## **SAFETY & HANDLING**

- Skin and eye contact can cause irritation. Chemical goggles or face shield and chemical resistant gloves are recommended.
- In case of accidental contact, flush area thoroughly with water. If irritation persists, seek medical attention.
- Do not take internally.
- **KEEP FROM FREEZING.** Store at 40-100°F (4 - 38°C). If freezing occurs, move material to storage area where temperatures can be sustained at 60°F (15°C) or above for 24 hours.