

Safety Data Sheet
acc. to OSHA HCS

04/28/2016

Reviewed on 04/28/2016

1 Identification

- **Product identifier**
- **Trade name:** Chrome Alum Crystal
- **Article number:** 35411
- **CAS Number:**
10279-63-7
- **EC number:**
233-627-5
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
McGean-Rohco, Inc.
2910 Harvard Ave.
Cleveland, OH 44105
USA
216-441-4900
msds.info@mcgean.com
- **Information department:** Environmental, Health, and Safety
- **Emergency telephone number:** Chemtrec: 800-424-9300 or 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
sulphuric acid, chromium potassium salt

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

04/28/2016

Reviewed on 04/28/2016

Trade name: **Chrome Alum Crystal**

(Contd. of page 1)

· **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P280 Wear eye protection / face protection.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

10279-63-7 sulphuric acid, chromium potassium salt

· **Identification number(s)**

· **EC number:** 233-627-5

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

04/28/2016

Reviewed on 04/28/2016

Trade name: Chrome Alum Crystal

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· Components with limit values that require monitoring at the workplace:	
10279-63-7 sulphuric acid, chromium potassium salt	
PEL-TWA	Long-term value: 0.5 mg/m ³ Chromium (III) compounds as cr

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

04/28/2016

Reviewed on 04/28/2016

Trade name: **Chrome Alum Crystal**

(Contd. of page 3)

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Crystalline

Color: Violet

· **Odor:** Odorless

· **Odor threshold:** Not determined.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

04/28/2016

Reviewed on 04/28/2016

Trade name: **Chrome Alum Crystal**

(Contd. of page 4)

· pH-value:	<i>Not applicable.</i>
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	<i>Undetermined.</i> <i>Undetermined.</i>
· Flash point:	<i>Not applicable.</i>
· Flammability (solid, gaseous):	<i>Product is not flammable.</i>
· Ignition temperature:	
Decomposition temperature:	<i>Not determined.</i>
· Auto igniting:	<i>Not determined.</i>
· Danger of explosion:	<i>Product does not present an explosion hazard.</i>
· Explosion limits: Lower: Upper:	<i>Not determined.</i> <i>Not determined.</i>
· Vapor pressure:	<i>Not applicable.</i>
· Density at 20 °C (68 °F): · Relative density · Vapor density · Evaporation rate	<i>1.83 g/cm³ (15.271 lbs/gal)</i> <i>Not determined.</i> <i>Not applicable.</i> <i>Not applicable.</i>
· Solubility in / Miscibility with Water:	<i>Insoluble.</i>
· Partition coefficient (n-octanol/water):	<i>Not determined.</i>
· Viscosity: Dynamic: Kinematic:	<i>Not applicable.</i> <i>Not applicable.</i>
· Solvent content: Organic solvents: VOC content:	<i>0.0 %</i> <i>0.0 g/l / 0.00 lb/gl</i>
Solids content: · Other information	<i>100.0 %</i> <i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

04/28/2016

Reviewed on 04/28/2016

Trade name: **Chrome Alum Crystal**

(Contd. of page 5)

- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)
Substance is not listed.
· NTP (National Toxicology Program)
Substance is not listed.
· OSHA-Ca (Occupational Safety & Health Administration)
Substance is not listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



SAFETY DATA SHEET

Page 7/9

Safety Data Sheet
acc. to OSHA HCS

04/28/2016

Reviewed on 04/28/2016

Trade name: **Chrome Alum Crystal**

(Contd. of page 6)

- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*

14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	<i>Not Regulated for Transport</i>
· UN proper shipping name · DOT, ADN, IMDG, IATA	<i>Not Regulated for Transport</i>
· Transport hazard class(es) · DOT, ADN, IMDG, IATA · Class	<i>Not Regulated for Transport</i>
· Packing group · DOT, IMDG, IATA	<i>Not Regulated for Transport</i>
· Environmental hazards: · Marine pollutant:	<i>No</i>
· Special precautions for user	<i>Not applicable.</i>
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	<i>Not applicable.</i>
· UN "Model Regulation":	<i>Not Regulated for Transport</i>

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara
· Section 355 (extremely hazardous substances): <i>Substance is not listed.</i>
· Section 313 (Specific toxic chemical listings): <i>Substance is not listed.</i>
· TSCA (Toxic Substances Control Act): <i>Substance is listed.</i>
· Proposition 65
· Chemicals known to cause cancer: <i>Substance is not listed.</i>
· Chemicals known to cause reproductive toxicity for females: <i>Substance is not listed.</i>

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

04/28/2016

Reviewed on 04/28/2016

Trade name: **Chrome Alum Crystal**

(Contd. of page 7)

· **Chemicals known to cause reproductive toxicity for males:**
Substance is not listed.

· **Chemicals known to cause developmental toxicity:**
Substance is not listed.

· **Carcinogenic categories**
· **EPA (Environmental Protection Agency)**
Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**
Substance is not listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**
Substance is not listed.

· **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**
sulphuric acid, chromium potassium salt

· **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

· **Precautionary statements**
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves.
P280 Wear eye protection / face protection.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

04/28/2016

Reviewed on 04/28/2016

Trade name: Chrome Alum Crystal

(Contd. of page 8)

P337+P313 *If eye irritation persists: Get medical advice/attention.*
P302+P352 *IF ON SKIN: Wash with plenty of water.*
P362+P364 *Take off contaminated clothing and wash it before reuse.*
P405 *Store locked up.*
P403+P233 *Store in a well-ventilated place. Keep container tightly closed.*
P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment Health and Safety

· **Contact:** Darla Rivera

· **Date of preparation / last revision** 04/28/2016 / 4

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

LC50: Lethal concentration, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

BEI: Biological Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3